


DATA SHEET

DHA 355 EC 30 | 131237



- Backward curved centrifugal fan
- EC motor
- Integrated electronic
- Internal electronic temperature monitoring
- Housing made of aluminium AIMg3

— ErP compliant range

Operating Point		1	2	3	4	5
Current I	A	0,9	1,3	1,3	1,3	1,3
Power consumption P ₁	W	107	168	165	165	165
RPM n	1/min	1541	1379	1269	1339	1422
SPL inlet L _{WA5}	dB(A)	71	69	67	71	74
SPL outlet L _{WA6}	dB(A)	75	72	70	75	78
SPL casing break out L _{WA2}	dB(A)	-	-	-	-	-

Sound power (L _W) dB(A)		Medium Frequency Band								
		Σ	63	125	250	500	1k	2k	4k	8k
Inlet	L _{WA5}	71	38	52	56	61	62	66	66	50
Outlet	L _{WA6}	74	39	56	62	65	68	67	69	50
Casing	L _{WA2}	-	-	-	-	-	-	-	-	-

DHA 355 EC 30 131237	
Voltage U _N	230 V 1~
Current I _{max}	1,4 A
Ambient temperature t _A	60 °C
Medium temperatures t _M	60 °C
Speed Control	0-10V
Motor Protection	TEC
Isolation Class	B
Weight	0,0 kg

